

ETCR2000



IEC61010

“ OL Ω ”

“  ”

“ _ _ _ _ ”

500T



赫兹电力
HEZE POWER

产品宗旨：技术领先，质量可靠，轻便易用
服务宗旨：快速响应，问题到满意，超过期

ETCR2000A+	0.01Ω - 200Ω	--
ETCR2000+	0.01Ω - 500Ω	--
ETCR2000C+	0.01Ω - 1200Ω	0.00mA-20A

*



	200 Ω -395 Ω	5 Ω	$\pm$ 5% 5 Ω
	400-590 Ω	10 Ω	$\pm$ 10% 10 Ω
	600 Ω -880 Ω	20 Ω	$\pm$ 20% 20 Ω
	900 Ω -1200 Ω	30 Ω	$\pm$ 25% 30 Ω
*	0.00mA -9.95mA	0.01mA	$\pm$ 2.5% 1mA
	10.0mA -99.0mA	0.1mA	$\pm$ 2.5% 5mA
	100mA -300mA	1mA	$\pm$ 2.5% 10mA
	0.30A-2.99A	0.01A	$\pm$ 2.5% 0.1A
	3.0A-9.9A	0.1A	$\pm$ 2.5% 0.3A
	10.0A-20.0A	0.1 A	$\pm$ 2.5% 0.5A

*

23 $\pm$ 5 75%rh

, V





“ OL ”

“ NOISE ”

5

50mA Max

1180g ()

-10 40 80%rh

-20 60 70%rh

20MΩ (500V)

AC 3700V/rms()


Ð À



0

- | | | |
|-----|-----|-----|
| 1. | 2. | 3. |
| 4. | 5. | 6. |
| 7. | 8. | 9. |
| 10. | 11. | 12. |
| 13. | 14. | |

:



3

	1Ω 10Ω

“ 0LΩ ”


“ MODE ” “ + ” “ ”

“ 0LΩ ”

“ L0.01Ω ”

“ + ”

“ 0.00mA ”



R1

R0

“

”

R0

